






SOLO™ UNIQUE

אלמנט תקרה מרחף

פאנלים אקוסטיים בצורות שונות תלויים חופש עיצוב מרבי. פתרון אידיאלי לחללים ללא תקרה מקיר לקיר.
האריחים בעובי 40 מ"מ, במשקל כולל פרופילציה 5 ק"ג/מ"ר.




							
1000/2400		1139/1198	1040/1200	1040/1200	1197/1416	1139/1200	

*יש לבדוק זמינות מלאי

THK mm	o.d.s. mm	Aeq, Equivalent absorption area per unit (m ² sabin)					
		125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
40	200	0.5	1.4	2.0	2.4	2.3	2.3
40	400	0.4	1.2	1.8	2.6	2.7	2.7
40	1000	0.4	1.1	2.0	2.9	2.9	2.8

Solo Square 1200x1200, 200 mm o.d.s. —
Solo Square 1200x1200, 400 mm o.d.s. - - -
Solo Square 1200x1200, 1000 mm o.d.s. . . .
O.D.S. = Overall Depth of System



בליעת רעש
לפי נוסחת Sabin



עמידות בלחות

עד 70% לחות יחסית
RH-30° C
מבלי לשקוע ולהתקלף
ע"פ תקן ISO 4611



דרגת סטריליות והיגיינה

ע"י האיגוד השוודי לחקר
האסטמה והאלרגיה



VOC תרכובות אורגניות נדיפות

דרגה M1 המציינת את האיכות הגבוהה
ביותר ואת הפליטה הנמוכה ביותר של
חלקיקים וכימיקלים מזיקים



תכולת חומר ממוחזר

100%



התקנה

עם כבלי פלדה תוצרת Ecophon



ניקוי האריחים

באמצעות מטלית לחה ושואב אבק




תגובות בשריפה

ע"פ ת"י 755 - s1, d0 - A2




החזר אור


84%




© Saint-Gobain Ecophon AB




Two types of Adjustable wire solutions



Panels can be installed in angles




See Quantity specification



Panels can be suspended underneath each other

Quantity specification (excl. wastage)

		Size, mm
		1200x1200
1	Solo Square	1,44m ² /panel
Mounting Option 1		-
2	Connect Looped Wire Hanger (Hook + Looped wire)	4/panel
3	Connect Covering cup (Optional)	4/panel
4	Connect Wire Kit (Hook + Ceiling holder + Wire)	4/panel
5	Connect Absorber anchor	4/panel
Mounting Option 2		-
6	Connect Absorber bracket	4/panel
7	Connect Absorber anchor	4/panel
Mounting Option 3		
8	Connect One-point fixing	1/panel
9	Connect Looped Wire Hanger (Hook + Looped wire)	2/panel
10	Connect Absorber anchor	4/panel
Notes		
		Δ Min. overall depth of system: Δ 1 140 mm / Δ 2 90 mm / Δ 3 500 mm



White Frost



Deep Sea



Sage Mist



Morning Rain



Scallop Shells



Spring Leaf



Pine Green



Wet Sand



Silent Steam



Dark Diamond



Cloudy Day



Volcanic Ash



Silver Stone



Silk Slate



Dark Chestnut



Basalt Rock